
STATE OF UTAH DEPARTMENT OF NATURAL RESOURCES

						DIVISION C		GAS AND M				AMENI	DED REPO	RT		
APPLICATION FOR PERMIT TO DRILL										1. WELL NAME and NUMBER GMBU C-25-9-16						
2. TYPE OF WORK DRILL NEW WELL REENTER P&A WELL DEEPEN WELL											3. FIELD OR WILDCAT MONUMENT BUTTE					
4. TYPE OF WELL Oil Well Coalbed Methane Well: NO											5. UNIT or COMMUNITIZATION AGREEMENT NAME GMBU (GRRV)					
6. NAME OF OPERATOR NEWFIELD PRODUCTION COMPANY											7. OPERATOR PHONE 435 646-4825					
8. ADDRESS OF OPERATOR Rt 3 Box 3630 , Myton, UT, 84052											9. OPERATOR E-MAIL mcrozier@newfield.com					
10. MINER	. MINERAL OWNERSHIP					12. SURFACE OWNERSHIP										
(FEDERAL, INDIAN, OR STATE) UTU-15855						FEDERAL INDIAN STATE FEE					FEDERAL INDIAN STATE FEE					
13. NAME OF SURFACE OWNER (if box 12 = 'fee')											14. SURFACE OWNER PHONE (if box 12 = 'fee')					
15. ADDRESS OF SURFACE OWNER (if box 12 = 'fee')											16. SURFACE OWNER E-MAIL (if box 12 = 'fee')					
17. INDIAN ALLOTTEE OR TRIBE NAME						18. INTEND TO COMMINGLE PRODUCTION FROM MULTIPLE FORMATIONS					19. SLANT					
(if box 12	= 'INDIAN')				YES (Submit Commingling Application) NO					<u> </u>	VERTICAL DIRECTIONAL HORIZONTAL					
20. LOCA	TION OF WELL			FOC	OTAGE	s	QTR-QTR		SECTION		TOWNSHIP	RANGE		МЕ	MERIDIAN	
LOCATION AT SURFACE 635 FSI				5 FSL	2288	FWL	SESW		24		9.0 S	16.0 E			S	
Top of Uppermost Producing Zone 272 FS				2 FSL	2525	FWL		SESW		24	9.0 S	16	16.0 E		S	
At Total Depth 80 FNL					_ 2548 FEL		1	NWNE		25	9.0 S	16.0 E			S	
21. COUNTY DUCHESNE					22. DISTANCE TO NEAREST LE			EASE LINE (Feet)		23. NUMBER OF ACRES IN DRILLING UNIT						
					25. DISTANCE TO NEAREST WELL IN SAME POOL (Applied For Drilling or Completed) 1273					26. PROPOSED DEPTH MD: 5748 TVD: 5675						
27. ELEVATION - GROUND LEVEL 5707					28. BOND NUMBER WYB000493						29. SOURCE OF DRILLING WATER / WATER RIGHTS APPROVAL NUMBER IF APPLICABLE 437478					
					Hole, Casing, and Cement Information					1						
String	Hole Size	Casing Size	Length	Wei	_	Grade & Th	read	Max Mu	d Wt.		Cement		Sacks	Yield	Weight	
Surf	12.25	8.625	0 - 300	24	_	J-55 ST8		8.3			Class G		138	1.17	15.8	
Prod	7.875	5.5	0 - 5748	15	5.5	J-55 LT8	&C	8.3	-	Pren	Premium Lite High Streng 50/50 Poz		259 363	3.26 1.24	11.0	
								<u> </u>			303 1.24 14				14.5	
ATTACHMENTS																
VERIFY THE FOLLOWING ARE ATTACHED IN ACCORDANCE WITH THE UTAH OIL AND GAS CONSERVATION GENERAL RULES																
WELL PLAT OR MAP PREPARED BY LICENSED SURVEYOR OR ENGINEER								COMPLETE DRILLING PLAN								
AFFIDAVIT OF STATUS OF SURFACE OWNER AGREEMENT (IF FEE SURFACE)							FORM 5. IF OPERATOR IS OTHER THAN THE LEASE OWNER									
DIRECTIONAL SURVEY PLAN (IF DIRECTIONALLY OR HORIZONTALLY DRILLED)))	✓ TOPOGRAPHICAL MAP								
NAME Heather Calder TITLE Production Technicia								PHONE 435 646-4936								
SIGNATURE						DATE 09/30/2013				EMAIL hcalder@newfield.com						
API NUMBER ASSIGNED 43013525120000					APPROVAL Perm					OCH Manager						

T9S, R16E, S.L.B.&M.




an N.G.S. OPUS Correction. LOCATION:

LAT. 40°04'09.56" LONG. 110°00'43.28"

(Tristate Aluminum Cap) Elev. 5281.57'

NEWFIELD EXPLORATION COMPANY

WELL LOCATION, C-25-9-16, LOCATED AS SHOWN IN THE SE 1/4 SW 1/4 OF SECTION 24, T9S, R16E, S.L.B.&M. DUCHESNE COUNTY, UTAH.



NOTES:

LATITUDE = $40^{\circ}00'33.64'$


LONGITUDE = 110°04'04.06'

NAD 27 (CENTER OF PATTERN)

LATITUDE = 40°00'33.78"

LONGITUDE = 110°04'01.51"

- 1. Well footages are measured at right angles to the Section Lines.
- 2. Bearings are based on Global Positioning Satellite observations.
- 3. The Center of Pattern footages are 81' FSL & 2637' FWL.



TRI STATE LAND SURVEYING & CONSULTING

180 NORTH VERNAL AVE. - VERNAL, UTAH 84078 (435) 781-2501

	· /			
DATE SURVEYED: 06-11-13	SURVEYED BY: S.H.	VERSION:		
DATE DRAWN: 06-20-13	DRAWN BY: L.C.S.	\ /1		
REVISED:	SCALE: 1" = 1000'	V I		

